

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	55321	((torque torsion) near4 (sens\$4 detect\$4 measur\$4 indicat\$4 identif\$4 determin\$4 calculat\$4 cell transducer))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:35
L2	58	((((torque torsion) near4 (sens\$4 detect\$4 measur\$4 indicat\$4 identif\$4 determin\$4 calculat\$4 cell transducer)).clm.) and ((light optic\$3) near3 signal).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:35
L3	394	((((torque torsion) near4 (sens\$4 detect\$4 measur\$4 indicat\$4 identif\$4 determin\$4 calculat\$4 cell transducer)).clm.) and ((driv\$3 and load) near3 shaft)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:35
L4	7	(((((torque torsion) near4 (sens\$4 detect\$4 measur\$4 indicat\$4 identif\$4 determin\$4 calculat\$4 cell transducer)).clm.) and ((driv\$3 and load) near3 shaft)) and chassis	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:35
L5	2004	((((torque torsion) near4 (sens\$4 detect\$4 measur\$4 indicat\$4 identif\$4 determin\$4 calculat\$4 cell transducer)).clm.) and rotor	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:35
L6	53	(((((torque torsion) near4 (sens\$4 detect\$4 measur\$4 indicat\$4 identif\$4 determin\$4 calculat\$4 cell transducer)).clm.) and rotor) and chassis	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:35
L7	22	(((((torque torsion) near4 (sens\$4 detect\$4 measur\$4 indicat\$4 identif\$4 determin\$4 calculat\$4 cell transducer)).clm.) and rotor) and chassis) and (optic\$3 light)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:35
L9	148449	(torque torsion force) near4 (sens\$4 detect\$4 measur\$4 indicat\$5 monitor\$5 transducer cell gage gauge)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:35
L10	152	((torque torsion force) near4 (sens\$4 detect\$4 measur\$4 indicat\$5 monitor\$5 transducer cell gage gauge)) and (chassis near6 (window len screen cover (transparent adj2 plate window len cover)))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:36

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	55321	((torque torsion) near4 (sens\$4 detect\$4 measur\$4 indicat\$4 identif\$4 determin\$4 calculat\$4 cell transducer))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:35
L2	58	((((torque torsion) near4 (sens\$4 detect\$4 measur\$4 indicat\$4 identif\$4 determin\$4 calculat\$4 cell transducer)).clm.) and ((light optic\$3) near3 signal).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:35
L3	394	((((torque torsion) near4 (sens\$4 detect\$4 measur\$4 indicat\$4 identif\$4 determin\$4 calculat\$4 cell transducer)).clm.) and ((driv\$3 and load) near3 shaft)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:35
L4	7	(((((torque torsion) near4 (sens\$4 detect\$4 measur\$4 indicat\$4 identif\$4 determin\$4 calculat\$4 cell transducer)).clm.) and ((driv\$3 and load) near3 shaft)) and chassis	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:35
L5	2004	((((torque torsion) near4 (sens\$4 detect\$4 measur\$4 indicat\$4 identif\$4 determin\$4 calculat\$4 cell transducer)).clm.) and rotor	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:35
L6	53	(((((torque torsion) near4 (sens\$4 detect\$4 measur\$4 indicat\$4 identif\$4 determin\$4 calculat\$4 cell transducer)).clm.) and rotor) and chassis	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:35
L7	22	(((((torque torsion) near4 (sens\$4 detect\$4 measur\$4 indicat\$4 identif\$4 determin\$4 calculat\$4 cell transducer)).clm.) and rotor) and chassis) and (optic\$3 light)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:35
L8	16	(((((torque torsion) near4 (sens\$4 detect\$4 measur\$4 indicat\$4 identif\$4 determin\$4 calculat\$4 cell transducer)).clm.) and rotor) and chassis) and light	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:35
L9	148449	(torque torsion force) near4 (sens\$4 detect\$4 measur\$4 indicat\$5 monitor\$5 transducer cell gage gauge)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:35
L10	152	((torque torsion force) near4 (sens\$4 detect\$4 measur\$4 indicat\$5 monitor\$5 transducer cell gage gauge)) and (chassis near6 (window len screen cover (transparent adj2 plate window len cover)))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:36
L11	23	((((torque torsion force) near4 (sens\$4 detect\$4 measur\$4 indicat\$5 monitor\$5 transducer cell gage gauge)) and (chassis near6 (window len screen cover (transparent adj2 plate window len cover)))) and rotor	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:36
L12	18	(((((torque torsion force) near4 (sens\$4 detect\$4 measur\$4 indicat\$5 monitor\$5 transducer cell gage gauge)) and (chassis near6 (window len screen cover (transparent adj2 plate window len cover)))) and rotor) and (optic\$5 near5 (wave\$4 data information signal))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:36

L13	474	((torque torsion force) near4 (sens\$4 detect\$4 measur\$4 indicat\$5 monitor\$5 transducer cell gage gauge)) and (chassis near6 (plate window len cover))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:36
L14	8299	((torque torsion force) near4 (sens\$4 detect\$4 measur\$4 indicat\$5 monitor\$5 transducer cell gage gauge)).ti.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:36
L15	686	((torque torsion force) near4 (sens\$4 detect\$4 measur\$4 indicat\$5 monitor\$5 transducer cell gage gauge)).clm.) and ((load and drive) near4 (shaft side portion piece))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:36
L16	29	(((((torque torsion force) near4 (sens\$4 detect\$4 measur\$4 indicat\$5 monitor\$5 transducer cell gage gauge)).clm.) and ((load and drive) near4 (shaft side portion piece)))) and (((light\$4 near3 (emit\$4)) "lcd" optic\$4) near6 (rotor motor rotary (rotating adj2 (device apparatus element portion))))) and (base mount\$4 frame chassis)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/07 08:36